







6" Guild Logo Block

(will measure 7" with 1/2"
seam allowances on outer border)



Outside Edge -
1/2" seam allowance



Milford Valley Quilter's Guild Badge

Finished size: 6"

Top with 1/2" outside seam allowance: 7"

Use 1/4" seam allowance on all other seams.

Materials needed:

Template plastic or freezer paper

Muslin for A

Fabric 1 for B

Fabric 2 for C

Fabric 3 for D and Dr

Fabric 4 for E

Backing fabric - 7 1/2"

Batting - 7 1/2"

Thread to match

Bar pin or ribbon

Directions

1. Choose fabrics and a thin batting. Use muslin for A. Pick colors which will provide contrast for other pieces.
2. Make templates of A, B, C, D, E.
3. Join all B's to A.
4. Join all C's and D's.
5. Join Dr's (D reversed) to E's.
6. Join CD's and DrE's
7. Join CDDrE's to AB..
8. Cut batting and backing to 7 1/2"
9. Place badge top right sides together with the backing with the batting on the bottom.
10. Sew with 1/2" seam allowance leaving part of one side open.
11. Trim seam allowance to 1/4".
12. Turn quilt inside out.
13. Slip stitch opening.
14. Sew bar pin to the back or tack on ribbon if you wish to wear around your neck.
15. Show it off at the next guild show and tell!

Milford Valley Quilters' Guild Badge

Paper Piecing Method

Finished size: 6"

Use ¼" or 3/8" internal seams

½" outer seam allowance

Materials needed:

Paper pieces A (1), B (4), and C (4)

Muslin for A

Scraps:

Fabric for A-2, -3, -4, & -5

Fabric for B-6 (4)

Fabric for B-7 (4), C-8 (4)

Fabric for C-9 (4)

Backing 7 ½" Square

Batting 7 ½" Square

Ribbon or fabric strap

Directions:

Make Section A

- 1. Paper piece fabrics A-2, A-3, A-4 and A-5 to piece A-1 using ¼" or 3/8" seams.**
- 2. Baste outer seam of Section A along stitch line.**
- 3. Cut ¼" around Section A.**

Make Section B (make 4):

1. Paper piece fabrics B-6 to B-7 using 1/4" or 3/8" seams.
2. Baste outer seam of Section B along stitch line.
3. Cut around Section B, being careful to allow 1/4" or 3/8" seams on inner seams and 1/2" seam of outer seams as indicated.

Make Section C (make 4):

1. Paper piece fabrics C-8 to C-9
2. Baste outer seam of Section C along stitch line.
3. Cut around Section C, as above.

Attach Sections:

1. Attach each Section B to one Section C, aligning hash marks. Stitch using 1/4" seam. Section BC made. Make 4.
2. Attach one Section BC to each side of A, aligning hash marks. Stitch using 1/4" seam.


Finishing:

1. Place ribbon or strap edges along top edges and baste.
2. Place badge right sides together with backing and batting on the bottom. Stitch around using a 1/2" seam, being careful not to catch ribbon or strap, leaving an opening on one side. Trim corners and seams, turn. Stitch opening using a blind stitch.


That's it! Congratulations. Add your name and show off at our next meeting.

MVQG BADGE

MAKE (1) A



MAKE (4) B



MAKE (4) C

